

### Lady-Datejust

Oyster, 28 mm, Oystersteel and Everose gold

This Oyster Perpetual
Lady-Datejust in
Oystersteel and Everose
gold features a rosé
colour, diamond-set dial
and an Oyster bracelet.



ROSÉ-COLOUR DIAL

# A watchmaking technique

This dial features diamonds in 18 ct gold settings and a Roman IX in 18 ct gold, set with 8 diamonds. The sunray finish creates delicate light reflections on many dials in the Oyster Perpetual collection. It is obtained using masterful brushing techniques that create grooves running outwards from the centre of the dial.

Light is diffused consistently along each engraving, creating a characteristic subtle glow

that moves depending on the position of the wrist.

Once the sunray finish has been completed, the dial colour is applied using Physical Vapour

Deposition or electroplating. A light coat of varnish gives the dial its final look.



FLUTED BEZEL

### A Rolex signature

The Rolex fluted bezel is a mark of distinction. Originally, the fluting of the Oyster bezel had a functional purpose: it served to screw the bezel onto the case helping to ensure the waterproofness of the watch.

It was therefore identical to the fluting on the case back, which was also screwed onto the case for waterproofness, using specific Rolex tools. Over time, the fluting became an aesthetic element, a genuine Rolex signature feature. Today the fluted

bezel is a mark of distinction, in gold on this Lady-Datejust.




**EVEROSE ROLESOR** 

### A meeting of two metals

Gold is coveted for its lustre and nobility. Steel reinforces strength and reliability. Together, they harmoniously combine the best of their properties.

A true Rolex signature, Rolesor has featured on Rolex models since the early 1930s, and was trademarked as a name in 1933. It is one of the prominent pillars of the Oyster collection.



THE OYSTER BRACELET

# Alchemy of form and function

The Oyster bracelet is a perfect alchemy of form and function, aesthetics and technology, designed to be both robust and comfortable.

It is equipped with an Oysterclasp and the Easylink comfort extension link, also exclusive to Rolex. This ingenious system allows the wearer to increase the bracelet length by approximately 5 mm, providing additional comfort in any circumstance.

## More Lady-Datejust technical details

Reference 279171

#### **Model Case**

#### **Type**

Oyster, 28 mm, Oystersteel and Everose gold

#### **Diameter**

28 mm

#### **Material**

Everose Rolesor

#### Bezel

Fluted

#### **Oyster Architecture**

Monobloc middle case, screw-down case back and winding crown

#### **Winding Crown**

Screw-down, Twinlock double waterproofness system

#### **Crystal**

Scratch-resistant sapphire, Cyclops lens over the date

#### **Water Resistance**

Waterproof to 100 metres / 330 feet

#### **Movement**

#### **Type**

Perpetual, mechanical, self-winding

#### **Calibre**

2236, Manufacture Rolex

#### **Precision**

-2/+2 sec/day, after casing

#### **Oscillator**

Syloxi hairspring in silicon with patented geometry. High-performance Paraflex shock absorbers

#### Winding

Bidirectional self-winding via Perpetual rotor

#### **Power reserve**

Approximately 55 hours

#### **Functions**

Centre hour, minute and seconds hands. Instantaneous date with rapid setting. Stop-seconds for precise time setting

#### **Bracelet**

#### **Type**

Oyster, three-piece solid links

#### **Bracelet Material**

Everose Rolesor - combination of Oystersteel and Everose gold

#### Clasp

Folding Oysterclasp with Easylink 5 mm comfort extension link

#### **Dial**

#### **Type**

Rosé-colour set with diamonds

#### Certification

#### **Type**

Superlative Chronometer (COSC + Rolex certification after casing)

# Explore and discover more on Rolex.com

All intellectual property rights such as trademarks, service marks, trade names, designs and copyrights are reserved.

Nothing contained in this website may be reproduced without written permission. Rolex reserves the right at all times to modify the models featured in the present website.

